


BEACON OPTRONICS
The Shape of light



High Precision secondary
LED Lenses

Contents

- ★ About Us
- ★ Product Nomenclature
- ★ Our Capabilities
- ★ Available Beam Pattern
- ★ Application
- ★ Glitter Series
- ★ Glisten Series
- ★ Jupiter Series
- ★ Shimmer Series
- ★ Blaze Series
- ★ Sunbeam Series
- ★ Oculus Series
- ★ Polstar Series
- ★ Shine Series
- ★ Miscellaneous Items

BEACON OPTRONICS

The Spark of light





BEACON OPTRONICS
The Shape of light



About Us


Welcome to Beacon Optronics – Illuminating Excellence in Lens Manufacturing! At Beacon Optronics, we’re not just crafting lenses; we’re shaping the future of lighting. As a premier lens manufacturing company based in Ghaziabad, we specialize in the art and science of creating optics that redefine brilliance. We are producing cutting-edge lenses for a variety of applications, from streetlights and high bays to stadium lights and industrial fixtures.

As a beacon in the industry, we are dedicated to driving innovation and sustainability, providing lighting solutions that inspire and endure. We are committed to pushing the boundaries of innovation, making sustainable and energy-efficient lighting solutions accessible to all.

Illuminate your world with Beacon Optronics – where every lens is a testament to our commitment to brilliance!

At Beacon Optronics, our know-how extends beyond manufacturing – it’s ingrained in our culture. We don’t just create lenses; we create solutions that redefine illumination. With a relentless commitment to quality and a passion for innovation, we’re not just shaping lenses; we’re shaping the future of lighting. Join us on this journey where expertise meets dedication, and together, we’ll continue to discover new possibilities in the world of optics.

Why Choose Us..??




Quick
Response



Strong
R&D Team



Production
Advance
Equipment



Wide Range
Product

PRODUCT NOMENCLATURE



BEACON OPTRONICS
The Shape of light

BO01-FAMILY-2X2-5050-60°

BO

Company Name
Beacon Optronics

01

Product Development
Number

Family

LED Family
Glitter Series, Glisten Series,
Jupiter Series, Shimmer Series,
Blaze Series, Sunbeam Series,
Oculus Series, Polstar Series,
Shine Series, Miscellaneous Series

2x2

Lens Matrix
2x2,3x3,4x1

5050

Led Package
3030,3535

60°

Beam Angle
(10°, 30°, 60°, 90°, Type-1, Type-2,
Type-3, Type-4, Type-5)


OUR CAPABILITIES

Each and Every ray is brighter in
BEACON OPTRONICS !!!


Our
Capabilities



BEACON OPTRONICS
The Shape of light




Optical Design
& Simulation




Mold Design & Development



Mass Production



Testing




Custom Design
& Development


AVAILABLE BEAM ANGLE




BEACON OPTRONICS
The Shape of light




7°




10°




30°



60°




90°




20x120°




Type-2M




Type-2M




Type-2M




Type-2S




Type-2M




Type-3M



Type-3M



Type-3S




Type-4




Type-4



Type-4



Type-4



Type-4



Type-5

Many More to come....!

APPLICATION



BEACON OPTRONICS
The Shape of light






BEACON OPTRONICS
The Shape of light

Glitter Series(2x2)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light






GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO01-Glitter-2x2-5050-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	60°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO02-Glitter-2x2-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.75	90°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO03-Glitter-2x2-5050-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	Type II	5050	Cree, Osram, Seoul, Lumiled	PC	

GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO04-Glitter-2x2-5050-25°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.6	25°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO13-Glitter-2x2-5050-Type III



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.0	Type III	5050	Cree, Osram, Seoul, Lumiled	PC	

BO14-Glitter-2x2-5050-Type IV





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.5	Type IV	5050	Cree, Osram, Seoul, Lumiled	PC	

GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO15-Glitter-2x2-5050-Type V






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type V	5050	Cree, Osram, Seoul, Lumiled	PC	   

BO33-Glitter-2x2-5050-20x120°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	20x120°	5050	Cree, Osram, Seoul, Lumiled	PC	  

BO41-Glitter-2x2-5050-60° Sq






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	60°	5050	Cree, Osram, Seoul, Lumiled	PC	   

GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO32-Glitter-2x2-5050-15°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x16.5	15°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO56-Glitter-2x2-5050-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x13.5	20°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO69-Glitter-4x1-5050-Type-II S



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x13	Type-II	5050	Cree, Osram, Seoul, Lumiled	PC	



BEACON OPTRONICS
The Shape of light

Glisten Series(3x3)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light





GLISTEN SERIES





BEACON OPTRONICS
The Shape of light

BO05-Glisten-3x3-5050-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	60°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO06-Glisten-3x3-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	90°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO07-Glisten-3x3-5050-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.2	Type II	5050	Cree, Osram, Seoul, Lumiled	PC	

GLISTEN SERIES






BEACON OPTRONICS
The Shape of light

BO16-Glisten-3x3-5050-Type III





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type III	5050	Cree, Osram, Seoul, Lumiled	PC	

BO17-Glisten-3x3-5050-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	Type IV	5050	Cree, Osram, Seoul, Lumiled	PC	

BO18-Glisten-3x3-5050-Type V



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type V	5050	Cree, Osram, Seoul, Lumiled	PC	



BEACON OPTRONICS

The Shape of light


Jupiter Series(3x3)

- Optimized for 5050/3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.



BEACON OPTRONICS

The Shape of light






JUPITER SERIES






BEACON OPTONICS
The Shape of light

BO19-Jupiter-8x1-5050-30°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9.0	30°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO20-Jupiter-8x1-3535/5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.3	60°	5050/3535	Cree, Osram, Seoul, Lumiled	PC	

BO21-Jupiter-8x1-3535/5050-90°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	90°	5050/3535	Cree, Osram, Seoul, Lumiled	PC	

JUPITER SERIES






BEACON OPTRONICS
The Shape of light

BO22-Jupiter-8x1-3535/5050-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type III	5050/3535	Cree, Osram, Seoul, Lumiled	PC	

BO60-Jupiter-8x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9.0	25°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO50-Jupiter-8x1-5050-Type II S






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type III	5050	Cree, Osram, Seoul, Lumiled	PC	

JUPITER SERIES




BEACON OPTRONICS
The Shape of light

BO77-Jupiter-8x1-3535-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type II	3535	Cree, Osram, Seoul, Lumiled	PC	  



Give your Lights the Upgrade they Deserve



BEACON OPTRONICS
The Shape of light

Shimmer Series(4x4)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light





SHIMMER SERIES





BEACON OPTRONICS
The Shape of light

BO10-Shimmer-16x1-2835/3030-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.5	60°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO11-Shimmer-16x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.75	90°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO23-Shimmer-16x1-2835/3030-20°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	20°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	




SHIMMER SERIES






BEACON OPTRONICS
The Shape of light



BO12-Shimmer-16x1-2835/3030-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.5	Type II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	  




BO24-Shimmer-16x1-2835/3030-Type III



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type III	2835/3030	Cree, Osram, Seoul, Lumiled	PC	  

BO25-Shimmer-16x1-2835/3030-Type IV






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type IV	2835/3030	Cree, Osram, Seoul, Lumiled	PC	  

SHIMMER SERIES






BEACON OPTRONICS
The Shape of light

BO26-Shimmer-16x1-2835/3030-Type IV





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type IV	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO27-Shimmer-16x1-2835/3030-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO28-Shimmer-16x1-2835/3030-Type V



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	Type V	2835/3030	Cree, Osram, Seoul, Lumiled	PC	




BEACON OPTRONICS
The Shape of light

Blaze Series(5x5)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light






BLAZE SERIES






BEACON OPTRONICS
The Shape of light

BO34-Blaze-24x1-2835/3030-20°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	20°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO08-Blaze-24x1-2835/3030-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	60°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO09-Blaze-24x1-2835/3030-90°






LxWxH (mm)	FWHM	Led Package	Material	Material	Application
50x50x4.75	90°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BLAZE SERIES




BEACON OPTRONICS
The Shape of light

BO35-Blaze-24x1-2835/3030-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	Type II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	  






BEACON OPTRONICS
The Shape of light

Sunbeam Series(1x1)

- Optimized for 5050/3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light





SUNBEAM SERIES





BEACON OPTRONICS
The Shape of light

BO31-Sunbeam-1x1-5050-Type II





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x7.95	Type II	5050	Cree, Osram, Seoul, Lumiled	PC	

BO29-Sunbeam-1x1-5050-60°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x6.8	60°	5050	Cree, Osram, Seoul, Lumiled	PC	

BO30-Sunbeam-1x1-5050-90°





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x6.0	90°	5050	Cree, Osram, Seoul, Lumiled	PC	

SUNBEAM SERIES






BEACON OPTRONICS
The Shape of light

BO38-Sunbeam-1x1-3030-25°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	25°	3030	Cree, Osram, Seoul, Lumiled	PC	

BO39-Sunbeam-1x1-3030-45°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	45°	3030	Cree, Osram, Seoul, Lumiled	PC	

BO42-Sunbeam-1x1-3535-70x140°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	70x140°	3535	Cree, Osram, Seoul, Lumiled	PC	

SUNBEAM SERIES





BEACON OPTRONICS
The Shape of light

BO36-Sunbeam-1x1-2835/3030-90°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	90°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	   

BO62-Sunbeam-1x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	60°	5050	Cree, Osram, Seoul, Lumiled	PC	   

BO63-Sunbeam-1x1-5050-90°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.8	90°	5050	Cree, Osram, Seoul, Lumiled	PC	  

SUNBEAM SERIES






BEACON OPTRONICS
The Shape of light

BO78-Sunbeam-1x1-3535-9°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	9°	3535	Cree, Osram, Seoul, Lumiled	PC	

BO79-Sunbeam-1x1-3535-7°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	7°	3535	Cree, Osram, Seoul, Lumiled	PC	

BO80-Sunbeam-1x1-Emitter-3535-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	15°	3535	Cree, Osram, Seoul, Lumiled	PC	



BEACON OPTRONICS

The Shape of light

Oculus Series (40x1)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






OCULUS SERIES






BEACON OPTRONICS
The Shape of light

BO51-Oculus-40x1-2835/3030-30°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	30°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO52-Oculus-40x1-2835/3030-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	60°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO53-Oculus-40x1-2835/3030-90°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	90°	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

OCULUS SERIES



BEACON OPTRONICS
The Shape of light

BO54-Oculus-40x1-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	Type II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	






BEACON OPTRONICS
The Shape of light

Polstar Series (12x1)

- Optimized for 2835/3030 & 3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light






POLSTAR SERIES






BEACON OPTRONICS
The Shape of light

BO70-Polstar-12x1-2835/3030 & 3535-25°





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x7.95	25°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled	PC	

BO71-Polstar-12x1-2835/3030 & 3535-60°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x6.8	60°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled	PC	

Bo72-Polstar-12x1-2835/3030 & 3535-90°






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x6.0	90°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled	PC	



POLSTAR SERIES



BEACON OPTRONICS
The Shape of light

BO73-Polstar-12x1-2835/3030 & 3535-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x11	Type II	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled	PC	   






BEACON OPTRONICS
The Shape of light

Shine Series

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.

BEACON OPTRONICS
The Shape of light






SHINE SERIES






BEACON OPTRONICS
The Shape of light

BO57-Shine-44x1-2835/3030-Type II IP





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x7.95	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	

BO58-Shine-18x1-5050-Type II IP



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	Type-II	5050	Cree, Osram, Seoul, Lumiled	PC	

BO61-Shine-10x1-5050-Type II IP






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.0	Type-II	5050	Cree, Osram, Seoul, Lumiled	PC	

MISCELLANEOUS ITEMS






BEACON OPTRONICS
The Shape of light





BO47-30x1-2835/3030-Type-II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x7.95	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	  



BO48-28x1-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled	PC	   

BO55-Galaxy-10x1-5050-Type-II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.0	Type-II	5050	Cree, Osram, Seoul, Lumiled	PC	   

MISCELLANEOUS ITEMS






BEACON OPTRONICS
The Shape of light



BO40-8x1-3535/5050-25°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x7.95	25°	3535/5050	Cree, Osram, Seoul, Lumiled	PC	  





BO81-6x1-3535/5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	25°	3535/5050	Cree, Osram, Seoul, Lumiled	PC	   


BO76-2x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Applicaton
50x50x6.8	25°	5050	Cree, Osram, Seoul, Lumiled	PC	   



BEACON OPTRONICS
The Shape of light



BEACON OPTRONICS
The Shape of light

Mfd. By :

BEACON OPTRONICS

📍 Add.: Plot- F13 Sector-17, KaviNagar
Industrial Area, Ghaziabad(U.P)-201002
☎ Mob.: +919736365019
☎ Tel.: +911204160430
✉ Email: info@beaconoptronics.com
🌐 Web.: www.beaconoptronics.com

Follow us on:



SCAN QR