



BEACON OPTRONICS

The Shape of light




High Precision secondary
LED Lenses

CONTANT

- ◆ ABOUT US
- ◆ PRODUCT NOMENCLATURE
- ◆ OUR CAPABILITIES
- ◆ AVAILABLE BEAM ANGLE
- ◆ APPLICATION
- ◆ GLITTER SERIES
- ◆ GLISTEN SERIES
- ◆ JUPITER SERIES
- ◆ SHIMMER SERIES
- ◆ BLAZE SERIES
- ◆ SUNBEAM SERIES
- ◆ OCULUS SERIES
- ◆ POLSTAR SERIES
- ◆ IGNITE SERIES
- ◆ MOON SERIES
- ◆ SHINE SERIES
- ◆ THEIA SERIES
- ◆ AURA SERIES
- ◆ GALAXY SERIES
- ◆ NOVA SERIES
- ◆ BRIGHT SERIES
- ◆ MISCELLANEOUS ITEM



BEACON OPTRONICS
The Shape Of Light



ABOUT US

Welcome to Beacon Optronics – Illuminating Excellence in Lens Manufacturing! At Beacon Optronics, we're not just crafting lenses; we're shaping the future of lighting. As a premier lens manufacturing company based in Ghaziabad, we specialize in the art and science of creating optics that redefine brilliance. We are producing cutting-edge lenses for a variety of applications, from streetlights and high bays to stadium lights and industrial fixtures.


As a beacon in the industry, we are dedicated to driving innovation and sustainability, providing lighting solutions that inspire and endure. We are committed to pushing the boundaries of innovation, making sustainable and energy-efficient lighting solutions accessible to all.

Illuminate your world with Beacon Optronics – where every lens is a testament to our commitment to brilliance!

At Beacon Optronics, Our Know-how Extend Beyond Manufacturing it's ingrained in our culture. We don't just create Lenses; We create solution That redefine illumination. With a relentless commitment to quality and a passion for innovation, we're not just shaping Lenses; We're shaping the future of lighting. Join us on this journey where expertise meets dedication, and together, we'll continue to discover new possibilities in the world of optics




Bo01-FAMILY-2X2-5050-60°























OUR CAPABILITIES



BEACON OPTRONICS
The Shape Of Light




AVAILABLE BEAM ANGLE



APPLICATION



BEACON OPTONICS
The Shape of light





BEACON OPTRONICS
The Shape of light

Glitter Series(2x2)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.







BEACON OPTRONICS
The Shape of light



GLITTER SERIES

BO01-Glitter-2x2-5050-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO02-Glitter-2x2-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.75	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   


BO03-Glitter-2x2-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   


GLITTER SERIES

BO04-Glitter-2x2-5050-25°(Gen1)




LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.6	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO13-Glitter-2x2-5050-Type III



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.0	Type III	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO14-Glitter-2x2-5050-Type IV





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.5	Type IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

GLITTER SERIES






BEACON OPTRONICS
The Shape of light

BO15-Glitter-2x2-5050-Type V






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	TypeV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO33-Glitter-2x2-5050-20x120°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	20x120°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	




BO41-2x2-5050-60° Sq



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



GLITTER SERIES

BO32-Glitter-2x2-5050-15°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x16.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO56-Glitter-2x2-5050-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x13.5	20°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO32.1-Glitter-2x2-5050-15°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x15.4	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

GLITTER SERIES



BEACON OPTRONICS
The Shape of light




BO127-Glitter-4x1-120x20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9	120x20°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO199-Glitter-2x2-5050-25°(Gen2)




NEW VERSION



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO200-Glitter-2x2-5050-25°(Gen3)

NEW VERSION





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

GLITTER SERIES





BEACON OPTRONICS
The Shape of light

BO198-Glitter-2x2-5050-60°(Sq.-Beam)






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X13	60° (Sq.-Beam)	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO343-Glitter-2x2-5050-90°(sq. Beam)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X10	90° (Sq.-Beam)	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO220-Glitter-2X2-5050-40°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X10	40°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




GLITTER SERIES



BEACON OPTRONICS
The Shape of light

BO330-Glitter-2x2-5050-T3VS




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X10	140°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO331-Glitter-2x2-5050-120x20°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	120x20°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO332-Glitter-2x2-5050-120x60°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	120x60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO335-Glitter-2x2-5050-25°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO336-Glitter-2x2-5050-15°



NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x17	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO337-Glitter-2x2-2835/3030&5050-60°

NEW





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x17	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

GLITTER SERIES

BO345-Glitter-2x2 -5050-Type III

NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	Type III	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  





BEACON OPTRONICS




The Shape of light

Glisten Series(3x3)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






BO05-Glisten-3x3-5050-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO06-Glisten-3x3-5050-90°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO07-Glisten-3x3-5050-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.2	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO16-Glisten-3x3-5050-Type III






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type III	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO17-Glisten-3x3-5050-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	Type IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO18-Glisten-3x3-5050-Type V



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type V	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



BEACON OPTRONICS

The shape of light

Jupiter Series(8x3)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






JUPITER SERIES






BEACON OPTRONICS
The Shape of light

BO19-Jupiter-8x1-5050-30°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9.0	30°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO20-Jupiter-8x1-3535/5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.3	60°	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO21-Jupiter-8x1-3535/5050-90°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	90°	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

JUPITER SERIES





BEACON OPTRONICS
The Shape of light

BO22-Jupiter-8x1-3535/5050-Type II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.2	Type II	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO22.1-Jupiter-8x1-3535/5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.4	Type II	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO118-Jupiter-8x1-5050-Type IIM (150x70°)






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	Type II	5050/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

JUPITER SERIES






BEACON OPTRONICS
The Shape of light

BO60-Jupiter-8x1-5050-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.3	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO145-Jupiter-8x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.3	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO77-Jupiter-8x1-3535-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.5	Type II	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




JUPITER SERIES



BEACON OPTRONICS
The Shape of light

BO341-Jupiter-8XI-5050-30°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.3	30°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO245-Jupiter-8XI-5050-60°



NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO342-Jupiter-8XI-5050-90°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8.3	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




JUPITER SERIES

BO269-Jupiter-8XI-5050-Type-IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X7.5	Type-IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO327-Jupiter-8XI-2835/3030&5050-T-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X7.5	Type-II	2835/3030/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  






BEACON OPTRONICS

The shape of light

Shimmer Series(16x1)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





SHIMMER SERIES





BEACON OPTONICS
The Shape of light

BO10-Shimmer-16x1-2835/3030-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.5	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO11-Shimmer-16x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.75	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



BO23-Shimmer-16x1-2835/3030-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.6	20°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



SHIMMER SERIES

BO12-Shimmer-16x1-2835/3030-Type II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.2	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO24-Shimmer-16x1-2835/3030-Type III



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type III	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO25-Shimmer-16x1-2835/3030-Type IV






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type IV	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

SHIMMER SERIES





BEACON OPTRONICS
The Shape of light

BO26-Shimmer-16x1-2835/3030-Type IV





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type IV	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO27-Shimmer-16x1-2835/3030-Type IV



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BO28-Shimmer-16x1-2835/3030-Type V



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.0	Type V	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

SHIMMER SERIES

BO356-Shimmer-16x1-3030/3535-10°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x10	10°	3030/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   






BEACON OPTRONICS
The shape of light

Blaze Series(24x1)

- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





BLAZE SERIES





BEACON OPTRONICS
The Shape of light

BO34-Blaze-24x1-2835/3030-20°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x7.0	20°	2835/3030	Cree, Osram, Seoul, Lumileds, Bridgelux	PC	



BO08-Blaze-24x1-2835/3030-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.3	60°	2835/3030	Cree, Osram, Seoul, Lumileds, Bridgelux	PC	

BO08.1-Blaze-24x1-2835/3030-60°

NEW
VERSION






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x5.7	60°	2835/3030	Cree, Osram, Seoul, Lumileds, Bridgelux	PC	

BLAZE SERIES






BEACON OPTONICS
The Shape of light

BO09-Blaze-24x1-2835/3030-90°






LxWxH (mm)	FWHM	Led Package	LED Brand	Material	Application
50x50x3.65	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO09.1-Blaze-24x1-2835/3030-90° (9x9mm Pitch)



LxWxH (mm)	FWHM	Led Package	LED Brand	Material	Application
50x50x4.35	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO129-Blaze-24x1-3030-T2






LxWxH (mm)	FWHM	Led Package	LED Brand	Material	Application
50x50x5.0	Type II	3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BLAZE SERIES



BEACON OPTRONICS
The Shape of light




BO35-Blaze-24x1-2835/3030-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x3.7	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO340-Blaze-24x1-2835/3030-25°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	25°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO344-Blaze-24x1-2835/3030-25°

NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x8	25°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




BEACON OPTRONICS

The Shape of light



Sunbeam Series(1x1)

- Optimized for 5050/3535 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.








BO31-Sunbeam-1x1-5050-Type II





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
19.0x13.5x7.95	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO29-Sunbeam-1x1-5050-60°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
12x12x6.8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



BO30-Sunbeam-1x1-5050-90°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
12x12x6.0	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	




SUNBEAM SERIES

BO38-Sunbeam-1x1-3030-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø19.8x11	25°	3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO39-Sunbeam-1x1-3030-45°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø19.8x11	45°	3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO42-Sunbeam-1x1-3535-70x140°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
22.50x11.20x6.90	70x140°	3535	Cree, Osram, Seoul, Lumiled	PC	  



SUNBEAM SERIES

BO36-Sunbeam-1x1-2835/3030-90°





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø13.5x4.4	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO62-Sunbeam-1x1-5050-60°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø15x8.70	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO63-Sunbeam-1x1-5050-90°





LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø15x7.5	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

SUNBEAM SERIES





BEACON OPTRONICS
The Shape of light

BO78-Sunbeam-1x1-3535-9°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
23.9x21x13.7	9°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO79-Sunbeam-1x1-3535-7°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
21.7x21.7x13	7°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



BO80-Sunbeam-1x1-Emitter-3535-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21x14.2	15°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



SUNBEAM SERIES

BO117-Sunbeam-1x1-3535-3°






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø35x21.10	3°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO117-Sunbeam-1x1-3535-3°



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø35x21.10	3°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC/PMMA	

BO147-Sunbeam-1x1-3535 RGBW-25°






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
Ø21.8x12.3	25°	3535	Cree, Osram, Seoul, Lumiled	PC	

SUNBEAM SERIES



BEACON OPTRONICS
The Shape of light

BO148-Sunbeam-1x1-7070-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø25x11	25°	7070	Cree, Osram, Seoul, Lumiled	PC	

BO146-Sunbeam-1x1-2835/3030-Convex



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø27.8x8.65	Convex	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	


BO172-Sunbeam-1x1-3535 -17°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11	17°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

SUNBEAM SERIES

BO173-Sunbeam-1x1-3535-15x45°









LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11	15x45°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  Commercial Industrial

BO177-Sunbeam-1x1-3535-10°









LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11	10°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  Commercial Industrial

BO174-Sunbeam-1x1-5050-RGBW-25°










LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  Commercial Industrial

SUNBEAM SERIES






BEACON OPTONICS
The Shape of light

BO175-Sunbeam-1x1-5050-25° (Gen1)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 

BO176-Sunbeam-1x1-5050-25° (Gen2)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x10.2	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 



BO201-Sunbeam-1x1-3535-7°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21.9x11.5	7°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	 




SUNBEAM SERIES

BO202-Sunbeam-1x1-3535-15x45°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21.9x11.5	15x45°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  Commercial Architecture

BO268-Sunbeam-1x1-6°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø21.8x11.4	6°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   Medical Architecture Stadium

BO300-Sunbeam-1x1-3535-6°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø25.4x13	6°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	    Medical Architecture Stadium Searchlight

BO301-Sunbeam-1x1-3535-10x60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24X12.5	10x60°	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO302-Sunbeam-1x1-3535-Typell



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
17X17X5.9	Typell	3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	



BO333-Sunbeam-1x1-Asymmetric Beam



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø24x11.5			Cree, Osram, Seoul, Lumiled Bridgelux	PC	



SUNBEAM SERIES

BO339-Sunbeam-1x1-5050- Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
20x15x10	Type II	5050	Cree, Osram, Seoul, Lumileds, Bridgelux	PC	 

BO407-Sunbeam-1x1-XPE2/1616&2020-1°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø56X40.4	1°	XPE2/1616/2020	Cree, lumisee	PMMA EVONIK 8N	   





BEACON OPTRONICS

The Shape of light



Oculus Series (40x1)

- Optimized for 2835/3030 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





OCULUS SERIES

BO51-Oculus-40x1-2835/3030-30°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	30°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO52-Oculus-40x1-2835/3030-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50.15x50.15x4.3	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO53-Oculus-40x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50.15x50.15x5.0	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO54-Oculus-40x1-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50.15x50.15x3.5	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   






BEACON OPTRONICS
The shape of light


Polstar Series(12x1)


- Optimized for 5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.




POLSTAR SERIES

BO70-Polstar-12x1-2835/3030 & 3535-25°









LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x4.48	25°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO71-Polstar-12x1-2835/3030 & 3535-60°









LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x5	60°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO72-Polstar-12x1-2835/3030 & 3535-90°










LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50x50x4	90°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

POLSTAR SERIES






BEACON OPTRONICS
The Shape of light

BO73-Polstar-12x1-2835/3030 & 3535-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x11	Type II	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO310-Polstar-12X1-2835/3030-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X11	15°	2835/3030 & 3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	





BEACON OPTRONICS
The Shape of light




Ignite Series (6x1)

- Optimized for 3535/5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.





IGNITE SERIES

BO64-Ignite-6x1-3535-T2NHA1





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.7	Type II	3535	Osram, Lattice Power Bridgelux	PC	  

BO89-Ignite-6x1-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.2	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BO102-Ignite-6x1-5050-BFL



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x9.0	Type II	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  




IGNITE SERIES

BO153-Ignite-6x1-5050-Typell NHAI






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50X50X8.3	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO326-Ignite-6x1-5050-Type IV



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50X50X8.3	Type IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO328-Ignite-6x1-5050-Typell






LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50X50X8.3	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

IGNITE SERIES



BEACON OPTRONICS
The Shape of light

BO329-Ignite-6x1-5050-Type-III



LxWxH (mm)	FWHM	LEDPackage	LED Brand	Material	Application
50X50X8.3	Type III	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  





BEACON OPTRONICS

The Shape of light

Moon Series 50x50 Spiral Lens

- Optimized for 2835/3030/5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






MOON SERIES






BEACON OPTRONICS
The Shape of light

BO130-Moon-2835/3030-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.95	60°	2835/3030	Bridgelux, Osram, Seoul, Lumiled	PC	

BO131-Moon-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x3.5	90°	2835/3030	Bridgelux, Osram, Seoul, Lumiled	PC	

BO132-Moon-5050-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.95	60°	5050	Bridgelux, Osram, Seoul, Lumiled	PC	

MOON SERIES



BEACON OPTRONICS
The Shape of light

BO133-Moon-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x3.5	90°	5050	Bridgelux, Osram, Seoul, Lumiled	PC	   






BEACON OPTRONICS
The Shape of light


Shine Series IP


- Optimized for 2835/3030/5050 LED
- Higher efficiency
- High Bay Lighting, Industrial Lighting etc.



BO57-Shine-44x1-2835/3030-Type II IP










LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x60x8.25	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO58-Shine-18x1-5050-Type II IP









LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x100x7.90	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO61-Shine-10x1-5050-Type II IP









LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x60x10.3	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

SHINE SERIES



BEACON OPTRONICS
The Shape of Light




BO149-Shine-14x1-5050-T2



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x100x7.90	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO309-Shine-10x1-5050-TypeIV-IP




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
60x100x8.3	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO355-Shine-16x1-3030/3535-Type-III

NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x60x8.5	Type-II	3030/3535	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  



BEACON OPTRONICS
The Shape of light



Theia Series Module IP65 Lens

- Optimized for 2835/3030/5050 LED
- Higher Efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting etc.






THEIA SERIES

BO106-Theia-24x1-5050-WFT55°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x7.2	Type-IV	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO120-Theia-28x1-5050-Type-IIH(NHA)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x10	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO128-Theia-Plain PC Cover






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x13.10	120°	2835/3030/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

THEIA SERIES





BEACON OPTRONICS
The Shape of light

BO140-Theia-28x1-5050-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x10.6	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO141-Theia-28x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO142-Theia-28x1-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x6.75	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



THEIA SERIES

BO143-Theia-64x1-2835/3030-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x5.5	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO144-Theia-64x1-2835/3030-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x4.75	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO227-Theia-28x1-5050 Typell






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
229.5x71.5x10	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

THEIA SERIES



BEACON OPTRONICS
The Shape of light

BO228-Theia-64X1-3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
70X228X4	Type-II	3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  





BEACON OPTRONICS

The Shape of light




Aura Series Round High Bay

- Optimized for 2835/3030/5050 LED
- Higher Efficiency
- High Bay Lighting, Industrial Lighting etc.






AURA SERIES

BO134-Aura-5050-60°(3 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x7.5	60°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	

BO135-Aura-5050-90°(3 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x6.2	90°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	

BO136-Aura-5050-60°(4 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x7.5	60°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	

AURA SERIES





BEACON OPTRONICS
The Shape of light

BO137-Aura-5050-90°(4 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x6.8	90°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	

BO138-Aura-5050-60°(8 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.0	60°	5050	Osram, Seoul, Lumiled, Bridgelux	PC	

BO139-Aura-5050-90°(8Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.0	90°	2835/3030/5050	Osram, Seoul, Lumiled, Bridgelux	PC	

BO190-Aura-2835-3030-60° (4 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø158x4.3	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO194-Aura-2835-3030-90° (4 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø158x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO191-Aura-2835-3030-60° (6 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x4.0	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO195-Aura-2835-3030-90° (6 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø185x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	

BO192-Aura-2835-3030-60° (8Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x4.3	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	

BO196-Aura-2835-3030-90° (8 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø225x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	

AURA SERIES





BEACON OPTRONICS
The Shape of light

BO193-Aura-2835-3030-60° (10 Rings)





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.3	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

BO197-Aura-2835-3030-90° (10 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø259x4.0	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 



BO299-Aura-2835/3030-90° (5 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø162x9	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 

AURA SERIES

BO322-Aura-2835/3030-60°(5 Rings)



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø162x9	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	 





BEACON OPTRONICS
The Shape of light

Galaxy Series (12x1)




IP 65 Lens Module

- Optimized for 5050 LED
- Higher efficiency
- Street Lighting, High Bay Lighting, Industrial Lighting, Stadium Lighting etc.








BO206-Galaxy-12x1-5050-15°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X14.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO220-Galaxy-12x1-5050-25°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X10.5	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO221-Galaxy-12x1-5050-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X6	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO222-Galaxy-12x1-5050-90°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X5	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO223-Galaxy-12x1-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X5	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO354-Galaxy-12x1-5050-Type-II




LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173X72X6.5	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   






BEACON OPTRONICS
The shape of light

NOVA Series (46x1)

- Optimized for 5050 LED
- Higher efficiency
- High Bay Lighting, Industrial Lighting, Stadium Lighting etc.





BO212-Nova-46x1-5050-15°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347X71X14.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO213-Nova-46x1-5050-25°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347X71X10.5	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



BO214-Nova-46x1-5050-60°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347X71X6	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

NOVA SERIES

BO215-Nova-46x1-5050-90°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
347x70x6mm	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   




Design Meets Light



BEACON OPTRONICS
The Shape of light

BRIGHT SERIES (48X1)




- Optimized for 2835/3030 LED
- Higher efficiency
- Highbay Lighting, Stadium Lighting, Industrial Lighting e.t.c



BRIGHT SERIES

BO317-Bright-48xI-2835-3030-30°




Coming soon



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X7.5	30°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	   

BO318-Bright-48xI-2835-3030-60°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X6.5	60°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	   

BO319-Bright-48xI-2835-3030-90°




NEW



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50X50X5.5	90°	2835/3030	Osram, Seoul, Lumiled, Bridgelux	PC	   



NON IP MISCELLANEOUS ITEM

BO47-30x1-2835/3030-Type-II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.8	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO48-28x1-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.8	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  


BO55-Galaxy-10x1-5050-Type-II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x6.0	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

NON IP MISCELLANEOUS ITEM

BO107-Custom-9x1-5050-Type-IIS









LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
67x46x8.4	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO65-Custom-52x1-2835/3030-60°









LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
ø97x5.1	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO270-Custom-9x1-5050-Typell










LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
44.3x67x6.8	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

NON IP MISCELLANEOUS ITEM

BO255-Custom-30xI-2835/3030-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
50x50x4.8	60°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   



MISCELLANEOUS ITEMS

BO40-8x1-3535/5050-25°



A



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø72.5x10	25°	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO181-6x1-3535/5050-25°



A



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
Ø60x10	25°	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO81-6x1-3535/5050-25°

A






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
71.5x43.25x10	25°	3535/5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

MISCELLANEOUS ITEMS

BO189-Ignite-6x1-5050-15°



A



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
71x43x16.8	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO76-2x1-5050-25°

A






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
47x21.7x10	25°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   







BO203-Custom-40x1-5050-60°





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
115x105x8	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO204-Custom-20x1-5050-60°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
108x75x9.6	60°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO119-Custom-18x1-5050-90°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
115x105x8	90°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO86-Custom-24x1-5050-Type-IIS






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
75.70x141.5x8.60	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO74-Custom-26x1-5050-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
99.8x99.8x8.35	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO75-Custom-29x1-5050-Type II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173.2x75x10	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO75.1-custom-29x1-5050-Typell






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
173.2x75x10	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO67-Custom-25x-5050-Type II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
160.80x75.80x2.5	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	


BO83-Glow-18x1-5050-15°



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
500X50X14.5	15°	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	




IP MISCELLANEOUS ITEM

BO150-Glow Plain PC Cover






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
200x155x19.5			Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO205-custom-16x1-5050-Typell






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
108x75x10	Typell	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO236-Custom-25X1/5050-Type-II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
130x70x8.1	Type-II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO237-Custom-76XI-2835/3030-Type-II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
130x70x8.1	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO238-Custom-88XI-2835/3030-Type-II



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
190x74x8.6	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

BO244-Custom-36XI-2835/3030-Type-II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
115x105x8.1	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

IP MISCELLANEOUS ITEM






BEACON OPTRONICS
The Shape of light

BO248-Custom-56XI-2835/3030-Type-II





LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
100x60x7.8	Type II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO249-Custom-112XI-2835/3030-Type-II






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
160x75x9.5	Type-II	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO251-Custom-40XI-2835/3030-90°






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
115X105X8	90°	2835/3030	Cree, Osram, Seoul, Lumiled Bridgelux	PC	

BO254-44X1-5050-Typell






LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
210X110X9.9	Type-II	5050	Cree, Osram, Seoul, Lumiled	PC	  

BO312-Custom-6x1-5050-



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
60x80x8		5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	   

BO265-Custom-20x1-5050-Typell



LxWxH (mm)	FWHM	LED Package	LED Brand	Material	Application
141X74.5X9.7	Type II	5050	Cree, Osram, Seoul, Lumiled Bridgelux	PC	  

NOTES



BEACON OPTRONICS
The Shape of light

This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.



BEACON OPTRONICS

The Shape of light



BEACON OPTRONICS

The Shape of light

Mfd. By :

BEACON OPTRONICS

📍 Add.: Plot- F13 Sector-17, KaviNagar
Industrial Area, Ghaziabad(U.P)-201002
☎ Mob.: +919736365019
☎ Tel.: +911204160430
✉ Email: info@beaconoptronics.com
🌐 Web.: www.beaconoptronics.com

Follow us on:



SCAN QR

